Menu -

OVERVIEW

FEATURES

SPECIFICATIONS

ATTACHMENTS



ISX[™] 3300 Zero Turn Mowers

THE LEADER IN SUSPENSION TECHNOLOGY FOR TURF

Featuring next-generation suspension technology – ForeFront[™] Suspension, a 2-belt iCD[™] cutting system, heavy-duty dual commercial Hydro-Gear® ZT-5400 drive system, and travel speeds up to 12 mph. Plus, select models feature EFI-ETC technology for fuel savings, easy starting, and smooth, consistent productivity.

FERRIS ature

(/na/en_us/home.html)

FIND A DEALER (/na/en_us/support/dealer-locator.html)

61+ Cutting Width

12 MPH Ground Speed 31+ HP Power Rating*

4-Years

Features



Forefront[™] Suspension System

The system utilizes four upper and lower control rods and mower-specific shocks that ensure the front caster bearing

Menu -

OVERVIEW

FEATURES

SPECIFICATIONS

ATTACHMENTS





Ride-On Mower Warranties

Coil-Over-Shocks and all suspensionrelated components are covered for 5 years (60 months), for unlimited hours. We are committed to providing performance, productivity and durability.



Vanguard BIG BLOCK™ Engine

The EFI-ETC engine with Oil Guard delivers a 500 hour oil change interval and 40 hp*, giving you added cutting performance to excel in thick, dense, and wet conditions. (select models)



Drive System Dual, commercial Hydro-Gear[®] ZT-5400 Powertrain[®] transaxles with 9" cooling fans

- - -

Menu -

OVERVIEW

FEATURES

SPECIFICATIONS

ATTACHMENTS



Premium High-Back Suspension Seat

Mow in superior comfort with arm rests, multi-position head rest, adjustable lumbar and seat recline



Hercules[™] II Cast-Iron

Hercules[™] II Cast-Iron; 10" dia. cast-iron with industrial double row angular contact ball bearing with 1 3/16" dia. shaft. Contact ball bearings with 1 3/16" dia. shaft.



Vanguard Electronic Throttle Control

This new technology allows the engine to harness all the power that is generated for more consistent blade tip speed. (select models)

Specifications

5902033	5902034	5902031	5901881	5902035	
5902032	<mark>✓</mark> 5901872				
Model Number			5901872		

US MSRP ^ CAN MSRP ^ 5901872 \$17,449.00 \$22,049.00

Engine Brand Menu ▼ Engine Power Rating *	FERRÍS guard [®] BIG BLOCK™ EFI ETC with Oil Guard (/na/en_us/h e tΩhe.html)
Displacement (cc) OVERVIEW	993
РТО	Electric
FEACTylinesters	2
Starter SPECIFICATIONS Fuel Type	Electric Gasoline
ATTAVE JanksCapacity (gal)	11
Hour Meter/Instrumentation	Dual-function hour meter, fuel level gauge in each tank
Cutting Width (in)	72
Cutting Height (in)	1.5 - 5
Spindles	Hercules™ II cast-iron
Suspension	Forefront™ Suspension System
Transmission	Dual-commercial Hydro-Gear [®] ZT-5400 Powertrain [®] transaxles with 9" cooling fans
Deck Construction	iCD™ Cutting System, 2-belt
Drive Axles (in)	1.375
Caster Tires (in)	13 x 6.5-6 flat-free
Drive Tires (in)	26 x 12-12
Ground Speed-Fwd (mph)	0 - 12
Ground Speed-Rev (mph)	0 - 5
Overall Length (in)	84.5
Overall Width (in) Deflector Down/Deflector Up	86 / 74
Dry Weight (lbs)	1,717
Seat Package	Premium high-back suspension seat with arm rests, multiposition headrest, adjustable lumbar and back recline
Certified Roll-over Protection System	158° foldable
Controls / Safety Group	Seat activated engine kill, clutch safety switch, neutral and parking brake safety circuit, adjustable twin steering controls
Parking Brake / Safety Circuit	Hand operated internal transaxle brake
Warranty (Engine) †	3-Year manufacturer's warranty
Warranty (Balance of Machine) † Engine Configuration	4-Year limited warranty (48 months) or 500 hours, whichever occurs first. Unlimited hours during the first 2 years (24 months). Coil-over-shocks and all suspension related components are covered for 5 years (60 months) unlimited hours. Belts, tires, brake pads, battery, blades: 90 days. Vanguard [®]
Operator's Manuals	📆 Illustrated Parts List - English (/na/en_us/product-
	 a table and later and later angles (table